

This SDS complies with the US OSHA HCS 2012.

### 1. Product and Company Identification

**Product Name:** TH-TYPE A, S100A

**Company Name:** Hitachi Industrial Equipment & Solutions America, LLC  
75 NW Point Blvd Suite D,  
Elk Grove Village, IL 60007

**Phone Number:** (800)627-5464

**Web site address:** <https://mc.hitachi-iesa.com>

**Emergency Contact:** Chemtrec (800)424-9300

**Intended Use:** Printing ink related material for industrial inkjet printers.

### 2. Hazards Identification

**Flammable Liquids, Category 2**

**Acute Toxicity: Inhalation, Category 4**

**Acute Toxicity: Oral, Category 4**

**Acute Toxicity: Skin, Category 4**

**Serious Eye Damage/Eye Irritation, Category 2**

**Specific Target Organ Toxicity (single exposure), Category 1**



**GHS Signal Word:**

**Danger**

**GHS Hazard Phrases:**

H225 - Highly flammable liquid and vapor.  
H315 - Causes skin irritation.  
H302+332 - Harmful if swallowed or if inhaled.  
H335 - May cause respiratory irritation.  
H336 - May cause drowsiness or dizziness.  
H319 - Causes serious eye irritation.  
H370 - Causes damage to organs

**GHS Precautionary Phrases:**

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P233 - Keep container tightly closed.  
P240 - Ground/bond container and receiving equipment.  
P241 - Use explosion-proof electrical/ventilating/lighting/printing equipment.  
P242 - Use only non-sparking tools.  
P243 - Take precautionary measures against static discharge.  
P260 - Do not breathe dust/fume/gas/mist/vapors/spray.  
P264 - Wash hands thoroughly after handling.  
P270 - Do not eat, drink or smoke when using this product.  
P271 - Use only outdoors or in a well-ventilated area.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

**GHS Response Phrases:**

P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
P302+352 - IF ON SKIN: Wash with plenty of soap and water.  
P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P307+311 - IF exposed: Call a POISON CENTER or doctor/physician.  
 P312 - Call a POISON CENTER or doctor/physician if you feel unwell.  
 P321 - Specific treatment see first aid measures.  
 P322 - Specific measures see supplementary accidental release measures.  
 P330 - Rinse mouth.  
 P337+313 - If eye irritation persists, get medical advice/attention.  
 P363 - Wash contaminated clothing before reuse.  
 P370+378 - In case of fire, use appropriate media to extinguish.  
 P403+235 - Store in cool/well-ventilated place.  
 P405 - Store locked up.  
 P501 - Dispose of contents/container in accordance with local regulations.

**GHS Storage and Disposal Phrases:**

**Emergency Overview:**

**Potential Health Effects (Acute and Chronic):**

Hazards not otherwise classified (HNOC) or not covered by GHS. Hazards not otherwise classified (HNOC) or not covered by GHS -none.

### 3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
78-93-3	Methyl ethyl ketone	65.0 -75.0 %
67-56-1	Methanol	15.0 -27.0 %

### 4. First Aid Measures

**Emergency and First Aid Procedures:**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

**In Case of Inhalation:**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

**In Case of Skin Contact:**

Wash off with soap and plenty of water. Consult a physician. Take victim immediately to hospital.

**In Case of Eye Contact:**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Flush eyes with water as a precaution.

**In Case of Ingestion:**

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

**Signs and Symptoms Of Exposure:**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**Indication of any immediate medical attention and special treatment needed:**

No data available.

### 5. Fire Fighting Measures

<b>Flash Point:</b>	-3.80 C (25.2 F) Method Used: TAG Closed Cup
<b>Explosive Limits:</b>	LEL: 1.8 UEL: 11.5
<b>Autoignition Pt:</b>	505.00 C (941.0 F)
<b>Suitable Extinguishing Media:</b>	Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.
<b>Fire Fighting Instructions:</b>	Wear self contained breathing apparatus for fire fighting if necessary. Further information. Use water spray to cool unopened containers.
<b>Flammable Properties and Hazards:</b>	Carbon oxides, Flash back possible over considerable distance. Container explosion may occur under fire conditions. No data available.
<b>Hazardous Combustion Products:</b>	No data available.

### 6. Accidental Release Measures

<b>Protective Precautions, Protective Equipment and Emergency Procedures:</b>	Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8. Wear respiratory protection.
<b>Environmental Precautions:</b>	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
<b>Steps To Be Taken In Case Material Is Released Or Spilled:</b>	Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

### 7. Handling and Storage

<b>Precautions To Be Taken in Handling:</b>	Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.
<b>Precautions To Be Taken in Storing:</b>	Keep container tightly closed in a cool, dry, and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Storage class (TRGS 510): 3: Flammable liquids
<b>Other Precautions:</b>	Apart from the uses mentioned in section 1 no other specific uses are stipulated. Apart from the uses mentioned in section 1 no other specific uses are stipulated.

### 8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
78-93-3	Methyl ethyl ketone	PEL: 200 ppm	No data.	No data.
67-56-1	Methanol	PEL: 200 ppm	No data.	No data.

### Personal Protective

#### Equipment Symbols:

#### Respiratory Equipment (Specify Type):

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls.

If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Eye Protection:

Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Protective Gloves:

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Splash contact:

Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 292 min.

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario. Full contact.

Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 480 min.

#### Other Protective Clothing:

Impervious clothing. Flame retardant antistatic protective clothing. Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Engineering Controls (Ventilation etc.):

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

#### Environmental Exposure Controls:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 9. Physical and Chemical Properties

#### Physical States:

Gas     Liquid     Solid

#### Appearance and Odor:

colorless.  
solvent odor.

#### pH:

No data.

#### Melting Point:

-86.40 C (-123.5 F) - Calculated average from good ingredient data

#### Boiling Point:

79.60 C (175.3 F) / 0.0 mm Hg

#### Flash Point:

-3.80 C (25.2 F) TAG Closed Cup

#### Evaporation Rate:

No data.

#### Flammability (solid, gas):

Flammable Liquid. Can release vapors that form explosive mixtures at temperatures at or above the flashpoint.

#### Explosive Limits:

LEL: 1.8 UEL: 11.5 - Calculated average from good ingredient data

#### Vapor Pressure:

No data.

#### Vapor Density (vs. Air=1):

2.41

#### Specific Gravity (Water=1):

No data.

#### Density:

0.8 - 0.866

<b>Solubility in Water:</b>	No data.
<b>Saturated Vapor Concentration:</b>	No data.
<b>Octanol/Water Partition Coefficient:</b>	No data.
<b>Autoignition Pt:</b>	505.00 C (941.0 F) - Calculated average from good ingredient data
<b>Decomposition Temperature:</b>	No data.
<b>Viscosity:</b>	No data.
<b>Explosive Properties:</b>	No data available.
<b>Information on other hazards:</b>	No data available.

## 10. Stability and Reactivity

<b>Reactivity:</b>	No data available.
<b>Stability:</b>	Unstable [ ] Stable [ X ]
<b>Conditions To Avoid - Instability:</b>	Exposure to moisture. Heat, flames and sparks.
<b>Incompatibility - Materials To Avoid:</b>	Oxidizing agents, Strong reducing agents, acids, Acid chlorides, Acid anhydrides, Alkali metals, Potassium, Sodium/sodium oxides, Aluminum, magnesium, Zinc.
<b>Hazardous Decomposition or Byproducts:</b>	No data available. In the event of fire: see section 5. Hazardous decomposition products formed under fire conditions. -Carbon oxides. Hydrogen chloride gas, phosgene gas, Hydrogen fluoride.
<b>Possibility of Hazardous Reactions:</b>	Will occur [ ] Will not occur [ X ]
<b>Conditions To Avoid - Hazardous Reactions:</b>	Vapors may form explosive mixture with air.

## 11. Toxicological Information

<b>Toxicological Information:</b>	Acute toxicity.  Germ cell mutagenicity: No data available. Reproductive toxicity. Aspiration hazard: Inhalation: Dermal. CAS# 67-56-1: 1. Reproductive Effects: , TCLo, Inhalation, Rat, 20000. PPM, 7 H, female 7-15 day(s) after conception. Result: Specific Developmental Abnormalities: Musculoskeletal system. Specific Developmental Abnormalities: Endocrine system. - Fundamental and Applied Toxicology., Academic Press, Inc., 1 E. First St., Duluth, MN 55802, Vol/p/yr: 5,727, 1985  2. Reproductive Effects: , TDLo, Oral, Mouse, 40.00 GM/KG, female 6-15 day(s) after conception. Result: Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Specific Developmental Abnormalities: Craniofacial (including nose and tongue).
-----------------------------------	---

- Teratology, The International Journal of Abnormal Development, Alan R. Liss, Inc., 41 E. 11th St., New York, NY 10003, Vol/p/yr: 47,175, 1993

3. Reproductive Effects: , TCLO, Inhalation, Mouse, 1500. PPM, 6 H, female 7-9 day(s) after conception.

Result:

Specific Developmental Abnormalities: Central nervous system.

- Toxicologist., Soc. of Toxicology, Inc., 475 Wolf Ledge Parkway, Akron, OH 44311, Vol/p/yr: 12,101, 1992

4. Reproductive Effects: , TDLo, Intraperitoneal, Mouse, 3400. mg/kg, 7 day pregnant.

Result:

Specific Developmental Abnormalities: Musculoskeletal system.

5. Mutagenicity:, Mutation test: Cytogenetic analysis., Oral, Mouse, 1.000 GM/KG.

Result:

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus).

Specific Developmental Abnormalities: Musculoskeletal system.

- Environmental Mutagenesis., For publisher information, see EMMUEG, New York, NY, Vol/p/yr: 4,317, 1982

6. Acute toxicity, TDLo, Oral, Human, 3429. MG/KG.

Result:

Sense Organs and Special Senses (Nose, Eye, Ear, and Taste): Eye: Visual field changes.

- Acta Medica Scandinavica., Almquist & Wiksell, Stockholm Sweden, Vol/p/yr: 212,5, 1982

7. Acute toxicity, TCLO, Inhalation, Human, 86000. MG/M3.

Result:

Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Lacrimation.

Lungs, Thorax, or Respiration: Cough.

Lungs, Thorax, or Respiration:Other changes.

- Archiv fuer Gewerbepathologie und Gewerbehygiene., For publisher information, see IAEHDW, Berlin Germany, Vol/p/yr: 5,1, 1933

8. Acute toxicity, LDLO, Route of Application: Unreported., Human, 868.0 MG/KG.

Result:

Gastrointestinal:Nausea or vomiting.

Behavioral: Muscle weakness.

- Poisoning; Toxicology, Symptoms, Treatments, 2nd ed., Arena, J.M., C.C. Thomas, Springfield, IL, Vol/p/yr: 2,73, 1970

9. Acute toxicity, LD50, Oral, Mouse, 7300. MG/KG.

Result:

Vascular:Other changes.

- Toxicology., Elsevier Scientific Pub. Ireland, Ltd., POB 85, Limerick Ireland, Vol/p/yr: 25,271, 1982

10. Acute toxicity, LCLO, Inhalation, Mouse, 50.00 GM/M3, 2 H.

Result:

Biochemical:Enzyme inhibition, induction, or change in blood or tissue levels:

Cytochrome oxidases (including oxidative phosphorylation).

- Toxicometric Parameters of Industrial Toxic Chemicals Under Single Exposure, Izmerov, N.F., et al., Centre of International Projects, GKNT, Moscow Russia, Vol/p/yr: -,80, 1982

11. Standard Draize Test, Skin, Species: Rabbit, 20.00 MG, 24 H.

Result:

Tumorigenic: Equivocal tumorigenic agent by RTECS criteria.

Gastrointestinal:Tumors.

Liver: Tumors.

- Prehled Prumyslove Toxikologie, Marhold, J., Organicke Latky, Prague Czechoslovakia, Vol/p/yr: -,187, 1986

12. Standard Draize Test, Eyes, Species: Rabbit, 40.00 MG.

Result:

Behavioral: Ataxia.

Lungs, Thorax, or Respiration:Dyspnea.

Gastrointestinal:Hypermotility, diarrhea.

- Union Carbide Data Sheet, Union Carbide Corp., 39 Old Ridgebury Rd., Danbury, CT 06817, Vol/p/yr: 3/24, 1970

13. LC50, Food, Insect: Drosophila., 40.122 - 46.477 PPTH Food, 72 H.

Measurement: Mortality, Trend: Increasing, Effect: Mortality.

Result:

Specific Developmental Abnormalities: Craniofacial (including nose and tongue).

- The Involvement of Several Enzymes in Methanol Detoxification in Drosophila melanogaster Adults, Wang,S.P., X.X. Hu, Q.W. Meng, S.A. Muhammad, R.R. Chen, F. Li, and G.Q. Li, 2013

**Irritation or Corrosion:**

Skin corrosion/irritation.

Result: Tumorigenic:Tumors at site or application. No skin irritation . (OECD Test Guideline 404) Serious eye damage/eye irritation Eyes -Rabbit

Irritating to eyes . No data available. Serious eye damage/eye irritation no data available.

**Sensitization:**

No data available.

**Chronic Toxicological Effects:**

Specific target organ toxicity - single exposure: May cause drowsiness or dizziness.

Specific target organ toxicity -repeated exposure: no data available. No data available.

**Carcinogenicity/Other Information:**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
78-93-3	Methyl ethyl ketone	n.a.	n.a.	n.a.	n.a.
67-56-1	Methanol	n.a.	n.a.	n.a.	n.a.

### 12. Ecological Information

<b>General Ecological Information:</b>	No data available.
<b>Results of PBT and vPvB assessment:</b>	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.
<b>Persistence and Degradability:</b>	No data available.
<b>Bioaccumulative Potential:</b>	No data available.
<b>Mobility in Soil:</b>	No data available.
<b>Other adverse effects:</b>	No data available.

### 13. Disposal Considerations

<b>Waste Disposal Method:</b>	Product: Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Contaminated packaging: Dispose of as unused product.
-------------------------------	---

### 14. Transport Information

#### LAND TRANSPORT (US DOT):

<b>DOT Proper Shipping Name:</b>	Printing ink related material.		
<b>DOT Hazard Class:</b>	3	FLAMMABLE LIQUID	
<b>UN/NA Number:</b>	1210	<b>Packing Group:</b>	II



#### LAND TRANSPORT (Canadian TDG):

<b>TDG Shipping Name:</b>	Printing ink related material.		
<b>UN Number:</b>	1210	<b>Packing Group:</b>	II
<b>Hazard Class:</b>	3 - FLAMMABLE LIQUID	<b>TDG Classification:</b>	

#### LAND TRANSPORT (European ADR/RID):

<b>ADR/RID Shipping Name:</b>	Printing ink related material.		
<b>UN Number:</b>	1210	<b>Packing Group:</b>	II
<b>Hazard Class:</b>	3 - FLAMMABLE LIQUID		

#### MARINE TRANSPORT (IMDG/IMO):

<b>IMDG/IMO Shipping Name:</b>	Printing ink related material.		
<b>UN Number:</b>	1210	<b>Packing Group:</b>	II
<b>Hazard Class:</b>	3 - FLAMMABLE LIQUID		

#### AIR TRANSPORT (ICAO/IATA):

<b>ICAO/IATA Shipping Name:</b>	Printing ink related material.		
<b>UN Number:</b>	1210	<b>Packing Group:</b>	II
<b>Hazard Class:</b>	3 - FLAMMABLE LIQUID		

### 15. Regulatory Information

#### EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
78-93-3	Methyl ethyl ketone	No	Yes NA	No
67-56-1	Methanol	No	Yes NA	Yes (27%)

#### EPA SARA Title III Section 313 Toxic Release Inventory.

This product contains a toxic chemical or chemicals subject to the reporting requirements of EPCRA Section 313 (40 CFR Section 372).

#### This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:

<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Explosive	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Acute toxicity (any route of exposure)
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Flammable (gases, aerosols, liquid, or solid)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Skin Corrosion or Irritation
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Oxidizer (liquid, solid or gas)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Serious eye damage or eye irritation
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Self-reactive	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Respiratory or Skin Sensitization
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Pyrophoric (liquid or solid)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Germ cell mutagenicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Pyrophoric gas	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Carcinogenicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Self-heating	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Reproductive toxicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Organic peroxide	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Specific target organ toxicity (single or repeated exposure)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Corrosive to metal	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Aspiration Hazard
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Gas under pressure (compressed gas)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Simple Asphyxiant
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	In contact with water emits flammable gas	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	(Health) Hazard Not Otherwise Classified (HNOC)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Combustible Dust		
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	(Physical) Hazard Not Otherwise Classified (HNOC)		

#### California Proposition 65



#### WARNING

This product can expose you to chemicals including Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

#### CAS # Hazardous Components (Chemical Name)

78-93-3 Methyl ethyl ketone

67-56-1 Methanol

#### Other US EPA or State Lists

TSCA: Inventory  
CA TAC, Title 8: TAC: Cat. IIa, Title 8  
NC TAP: Yes: NC TAP

TSCA: Inventory  
CA PROP.65: Yes: RDTox.  
CA TAC, Title 8: TAC: Cat. IIa, Title 8  
NC TAP: Yes: US HAP

#### CAS # Hazardous Components (Chemical Name)

78-93-3 Methyl ethyl ketone

67-56-1 Methanol

#### International Regulatory Lists

Mexico INSQ: 1193  
Japan ENCS: 2-542  
Germany WHCS: 150: WGK 1  
Switzerland Giftliste 1: G-2429  
REACH: (P), 01-2119457290-43: Full  
Japan ENCS: 7-322  
Japan ISHL: 8-(1)-4744  
Israel HSL: Cat.  
Germany WHCS: 145: WGK 1  
Switzerland Giftliste 1: G-2063  
REACH: (P), 01-2119433307-44: Full, Res. - 69.

### 16. Other Information

**Revision Date:** 10/18/2024

**Additional Information About This Product:** To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information presented in this document. Final determination of suitability of any material is the sole responsibility of the user to follow local, state and federal laws and regulations in regards to handling of hazardous materials. Although certain hazards are described herein, unknown hazards may exist and caution should always be exercised.

**Company Policy or Disclaimer:**