

### 1. Product and Company Identification

**Product Name:** TH-414ci, S1414ci  
**Company Name:** Hitachi Industrial Equipment & Solutions America, LLC  
**Phone Number:** (800)627-5464  
 75 NW Point Blvd Suite D,  
 Elk Grove Village, IL 60007  
**Web site address:** <https://mc.hitachi-iesa.com>  
**Emergency Contact:** Chemtrec (800)424-9300

**Intended Use:** Printing Ink Related Material

### 2. Hazards Identification

**Flammable Liquids, Category 2**  
**Serious Eye Damage/Eye Irritation, Category 2**  
**Specific Target Organ Toxicity (single exposure), Category 3**  
**Acute Toxicity: Oral, Category 5**  
**Acute Toxicity: Inhalation, Category 5**  
**Skin Corrosion/Irritation, Category 2**  
**Specific Target Organ Toxicity (single exposure), Category 2**  
**Specific Target Organ Toxicity (single exposure), Category 1**  
**Specific Target Organ Toxicity (repeated exposure), Category 1**  
**Aspiration Toxicity, Category 2**



**GHS Signal Word:** **Danger**

**GHS Hazard Phrases:** H225 - Highly flammable liquid and vapor.  
 H303 - May be harmful if swallowed.  
 H305 - May be harmful if swallowed and enters airways.  
 H315 - Causes skin irritation.  
 H319 - Causes serious eye irritation.  
 H333 - May be harmful if inhaled.  
 H336 - May cause drowsiness or dizziness.  
 H370 - Causes damage to organs kidneys  
 H371 - May cause damage to organs .  
 H372 - Causes damage to organs central and peripheral nervous systems through prolonged or repeated exposure.

**GHS Precautionary Phrases:** P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
 P233 - Keep container tightly closed.  
 P240 - Ground/bond container and receiving equipment.  
 P241 - Use explosion-proof electrical/ventilating/lighting/.../ equipment.  
 P242 - Use only non-sparking tools.  
 P243 - Take precautionary measures against static discharge.  
 P260 - Do not breathe dust/fume/gas/mist/vapors/spray.  
 P264 - Wash hands thoroughly after handling.  
 P270 - Do not eat, drink or smoke when using this product.  
 P271 - Use only outdoors or in a well-ventilated area.  
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.

<b>GHS Response Phrases:</b>	P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P302+352 - IF ON SKIN: Wash with plenty of soap and water. P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P307+311 - IF exposed: Call a POISON CENTER or doctor/physician. P309+311 - Call a POISON CENTER or doctor/physician if exposed or you feel unwell. P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P314 - Get medical attention/advice if you feel unwell. P321 - Specific treatment see ... on this label. P331 - Do NOT induce vomiting. P332+313 - If skin irritation occurs, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention. P362 - Take off contaminated clothing and wash before re-use.
<b>GHS Storage and Disposal Phrases:</b>	P403+233 - Store container tightly closed in a cool and well-ventilated place. P405 - Store locked up. P501 - Dispose of contents/container ...
<b>Potential Health Effects (Acute and Chronic):</b>	Hazards not otherwise classified (HNOC) or not covered by GHS. Hazards not otherwise classified (HNOC) or not covered by GHS -none.

### 3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
78-93-3	Methyl ethyl ketone	85.0 -99.0 %
64-17-5	Ethyl alcohol	1.0 -10.0 %
67-63-0	Isopropyl alcohol	< 5.0 %

### 4. First Aid Measures

<b>Emergency and First Aid Procedures:</b>	Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
<b>In Case of Inhalation:</b>	If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
<b>In Case of Skin Contact:</b>	Wash off with soap and plenty of water. Consult a physician.
<b>In Case of Eye Contact:</b>	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
<b>In Case of Ingestion:</b>	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
<b>Signs and Symptoms Of Exposure:</b>	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
<b>Indication of any immediate medical attention and special treatment needed:</b>	No data available.

### 5. Fire Fighting Measures

<b>Flash Pt:</b>	1.00 C (33.8 F) Method Used: TAG Closed Cup
<b>Explosive Limits:</b>	LEL: No data. UEL: No data.
<b>Autoignition Pt:</b>	No data.
<b>Suitable Extinguishing Media:</b>	Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.
<b>Fire Fighting Instructions:</b>	Wear self contained breathing apparatus for fire fighting if necessary. Further information.
<b>Flammable Properties and Hazards:</b>	Carbon oxides, Flash back possible over considerable distance. Container explosion may occur under fire conditions.
<b>Hazardous Combustion Products:</b>	No data available.

### 6. Accidental Release Measures

<b>Protective Precautions, Protective Equipment and Emergency Procedures:</b>	Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.
<b>Environmental Precautions:</b>	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
<b>Steps To Be Taken In Case Material Is Released Or Spilled:</b>	Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

### 7. Handling and Storage

<b>Precautions To Be Taken in Handling:</b>	Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.
<b>Precautions To Be Taken in Storing:</b>	Store under inert gas. Keep container tightly closed in a cool, dry, and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Hygroscopic. Storage class 510) Recommended storage temperature: 2 -8 - 8 deg.C.
<b>Other Precautions:</b>	Apart from the uses mentioned in section 1 no other specific uses are stipulated.

### 8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
78-93-3	Methyl ethyl ketone	PEL: 200 ppm	TLV: 200 ppm STEL: 300 ppm	No data.
64-17-5	Ethyl alcohol	PEL: 1000 ppm	TLV: 1000 ppm STEL: 1000 ppm	No data.
67-63-0	Isopropyl alcohol	PEL: 400 ppm	TLV: 200 ppm STEL: 400 ppm	No data.

**Personal Protective Equipment Symbols:**

**Respiratory Equipment (Specify Type):**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls.

If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

**Eye Protection:**

Face shield and safety glasses.

**Protective Gloves:**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Splash contact:

Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 292 min.

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

**Other Protective Clothing:**

Impervious clothing. Flame retardant antistatic protective clothing.

**Engineering Controls (Ventilation etc.):**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

**Environmental Exposure Controls:**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 9. Physical and Chemical Properties

<b>Physical States:</b>	[ ] Gas [ X ] Liquid [ ] Solid
<b>Appearance and Odor:</b>	colorless. solvent odor.
<b>pH:</b>	No data.
<b>Melting Point:</b>	No data.
<b>Boiling Point:</b>	No data.
<b>Flash Pt:</b>	1.00 C (33.8 F) Method Used: TAG Closed Cup
<b>Evaporation Rate:</b>	No data.
<b>Flammability (solid, gas):</b>	No data available.
<b>Explosive Limits:</b>	LEL: No data. UEL: No data.
<b>Vapor Pressure (vs. Air or mm Hg):</b>	No data.
<b>Vapor Density (vs. Air = 1):</b>	No data.
<b>Specific Gravity (Water = 1):</b>	No data.
<b>Solubility in Water:</b>	No data.
<b>Saturated Vapor Concentration:</b>	No data.
<b>Octanol/Water Partition Coefficient:</b>	No data.
<b>Autoignition Pt:</b>	No data.

<b>Decomposition Temperature:</b>	No data.
<b>Viscosity:</b>	No data.
<b>Explosive Properties:</b>	No data available.
<b>Information on other hazards:</b>	No data available.

## 10. Stability and Reactivity

<b>Reactivity:</b>	No data available.
<b>Stability:</b>	Unstable [ ]    Stable [ X ]
<b>Conditions To Avoid - Instability:</b>	Exposure to moisture. Heat, flames and sparks.
<b>Incompatibility - Materials To Avoid:</b>	Oxidizing agents, Strong reducing agents, Strong oxidizing agents.
<b>Hazardous Decomposition or Byproducts:</b>	No data available. In the event of fire: see section 5.
<b>Possibility of Hazardous Reactions:</b>	Will occur [ ]    Will not occur [ X ]
<b>Conditions To Avoid - Hazardous Reactions:</b>	Vapors may form explosive mixture with air. No data available.

## 11. Toxicological Information

<b>Toxicological Information:</b>	Acute toxicity.
	Germ cell mutagenicity: No data available.
	Reproductive toxicity. Aspiration hazard: Inhalation: Dermal.
	CAS# 64-17-5:
	1. Acute toxicity, TDLo, Oral, Human, 3371. UL/KG.
	Result:
	Behavioral: Altered sleep time (including change in righting reflex).
	Behavioral: Excitement.
	Behavioral: Coma.
	- Veterinary and Human Toxicology., American College of Veterinary and Comparative Toxicology, Publication Office, Comparative Toxicology, Manhattan, KS 66506, Vol/p/yr: 21,272, 1979
	2. Acute toxicity, TDLo, Oral, Human, 700.0 MG/KG.
	Result:
	Behavioral: Changes in psychophysiological tests.
	- Neurobehavioral Toxicology and Teratology., For publisher information, see NETEEEC, Fayetteville, NY, Vol/p/yr: 8,77, 1986
	CAS# 67-63-0:
	1. Acute toxicity, TDLo, Oral, Human, 14432. MG/KG.
	Result:
	Behavioral: Coma.
	Vascular: BP lowering not characterized in autonomic section.
	Lungs, Thorax, or Respiration: Dyspnea.
	- New England Journal of Medicine., Massachusetts Medical Soc., 10 Shattuck St., Boston, MA 02115, Vol/p/yr: 277,699, 1967

2. Acute toxicity, TDLo, Oral, Human, 223.0 MG/KG.

Result:

Behavioral: Hallucinations, distorted perceptions.

Cardiac:Pulse rate.

Vascular: BP lowering not characterized in autonomic section.

- Journal of Laboratory and Clinical Medicine., C.V. Mosby Co., 11830 Westline Industrial Dr., St. Louis, MO 63146, Vol/p/yr: 12,326, 1927

3. Acute toxicity, LDLO, Oral, Human, 3570. MG/KG.

Result:

Behavioral: Coma.

Lungs, Thorax, or Respiration:Respiratory depression.

Gastrointestinal:Nausea or vomiting.

- "Toxicology of Drugs and Chemicals", Deichmann, W.B., Academic Press, Inc., New York, Vol/p/yr: -,339, 1969

4. Acute toxicity, LDLO, Route of Application: Unreported., Human, 2770. MG/KG.

Result:

Biochemical:Enzyme inhibition, induction, or change in blood or tissue levels:

Cytochrome oxidases (including oxidative phosphorylation).

- Poisoning; Toxicology, Symptoms, Treatments, 2nd ed., Arena, J.M., C.C. Thomas, Springfield, IL, Vol/p/yr: 2,73, 1970

5. Acute toxicity, LD50, Oral, Mouse, 3600. MG/KG.

Result:

Behavioral: Altered sleep time (including change in righting reflex).

Behavioral: Somnolence (general depressed activity).

- Gigiena i Sanitariya, Mezhdunarodnaya Kniga, ul. B. Yakimanka, 39, 113095, Moscow 113095 Russia, Vol/p/yr: 43(1),8, 1978

6. Acute toxicity, LCLO, Inhalation, Mouse, 12800. PPM, 3 H.

Result:

Maternal Effects: Other effects.

- Interagency Collaborative Group on Environmental Carcinogenesis, National Cancer Institute, Memorandum, June 1, Vol/p/yr: 17JU, 1974

7. Acute toxicity, LD50, Intraperitoneal, Mouse, 4477. MG/KG.

Result:

Skin and Appendages: Skin: After topical exposure: Dermatitis, allergic.

- EHP, Environmental Health Perspectives., U.S. Government Printing Office, Supt of Documents, Washington, DC 20402, Vol/p/yr: 61,321, 1985

8. Acute toxicity, LD50, Intravenous, Mouse, 1509. MG/KG.

Result:

Lungs, Thorax, or Respiration:Fibrosis, focal (pneumoconiosis).

Lungs, Thorax, or Respiration:Acute pulmonary edema.

- EHP, Environmental Health Perspectives., U.S. Government Printing Office, Supt of Documents, Washington, DC 20402, Vol/p/yr: 61,321, 1985

9. Acute toxicity, LD50, Oral, Species: Rabbit, 6410. MG/KG.

Result:

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus).

Effects on Newborn: Biochemical and metabolic.

- FAO Nutrition Meetings Report Series., Vol/p/yr: 48A,114, 1970

10. Acute toxicity, LD50, Skin, Species: Rabbit, 12800. MG/KG.

Result:

Specific Developmental Abnormalities: Respiratory system.

- Raw Material Data Handbook, Vol.1: Organic Solvents, 1974., National Assoc. of Printing Ink Research Institute, Francis McDonald Sinclair Memorial Labor, Lehigh Univ., Bethlehem, PA 18015, Vol/p/yr: 1,100, 1974

11. Acute toxicity, LD50, Intraperitoneal, Species: Rabbit, 667.0 MG/KG.

Result:

Specific Developmental Abnormalities: Craniofacial (including nose and tongue).

- EHP, Environmental Health Perspectives., U.S. Government Printing Office, Supt of Documents, Washington, DC 20402, Vol/p/yr: 61,321, 1985

12. Acute toxicity, TCLo, Inhalation, Human, 35.00 ppm.

Result:

Cardiac: Pulse rate decreased with fall in BP.

Lungs, Thorax, or Respiration: Other changes.

- Neurotoxicology., Intox Press, Inc., POB 34075, Little Rock, AR 72203, Vol/p/yr: 24,179, 2003

13. Acute toxicity, LDLO, Route of Application: Unreported., Human, 2.000 mL/kg.

Result:

Specific Developmental Abnormalities: Central nervous system.

Specific Developmental Abnormalities: Craniofacial (including nose and tongue).

Specific Developmental Abnormalities: Other developmental abnormalities.

- Japanese Journal of Toxicology, Yakugyo Jihosha, Hokushin Bldg., 2-36 Jinbo-cho, Kanda, Chiyoda, Tokyo 101 Japan, Vol/p/yr: 12,341, 1999

14. Standard Draize Test, Skin, Species: Rabbit, 500.0 MG.

Result:

Tumorigenic: Carcinogenic by RTECS criteria.

Liver: Tumors.

Blood: Leukemia.

- National Technical Information Service, Vol/p/yr: AD-A106-94,

15. Standard Draize Test, Eyes, Species: Rabbit, 100.0 MG.

Result:

Tumorigenic: Carcinogenic by RTECS criteria.

Liver: Tumors.

Blood: Leukemia.

- American Journal of Ophthalmology., Ophthalmic Pub. Co., 435 N. Michigan Ave., Suite 1415, Chicago, IL 60611, Vol/p/yr: 29,1363, 1946

**Irritation or Corrosion:**

Skin corrosion/irritation.

Result: Tumorigenic: Tumors at site or application. No skin irritation . (OECD Test Guideline 404) Serious eye damage/eye irritation Eyes -Rabbit

Irritating to eyes . No data available. Serious eye damage/eye irritation no data available.

**Sensitization:**

No data available.

**Chronic Toxicological Effects:**

Specific target organ toxicity - single exposure: May cause drowsiness or dizziness.

Specific target organ toxicity -repeated exposure: no data available. Specific target organ toxicity -single exposure (Globally Harmonized System) No data available.

**Carcinogenicity/Other Information:**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.  
 ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.  
 NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.  
 OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
78-93-3	Methyl ethyl ketone	n.a.	n.a.	n.a.	n.a.
64-17-5	Ethyl alcohol	n.a.	1	Unknown	n.a.
67-63-0	Isopropyl alcohol	n.a.	3	Unknown	n.a.

### 12. Ecological Information

<b>General Ecological Information:</b>	No data available.
<b>Results of PBT and vPvB assessment:</b>	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.
<b>Persistence and Degradability:</b>	No data available.
<b>Bioaccumulative Potential:</b>	No data available.
<b>Mobility in Soil:</b>	No data available.
<b>Other adverse effects:</b>	No data available.

### 13. Disposal Considerations

<b>Waste Disposal Method:</b>	Product: Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Contaminated packaging:
-------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### 14. Transport Information

**LAND TRANSPORT (US DOT):**

<b>DOT Proper Shipping Name:</b>	Printing ink.		
<b>DOT Hazard Class:</b>	3	FLAMMABLE LIQUID	
<b>UN/NA Number:</b>	UN1210	<b>Packing Group:</b>	II


**LAND TRANSPORT (Canadian TDG):**

<b>TDG Shipping Name:</b>	Printing ink.		
<b>UN Number:</b>	UN1210	<b>Packing Group:</b>	II
<b>Hazard Class:</b>	3 - FLAMMABLE LIQUID	<b>TDG Classification:</b>	

### 15. Regulatory Information

**EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists**

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
78-93-3	Methyl ethyl ketone	No	Yes NA	No
64-17-5	Ethyl alcohol	No	No	No
67-63-0	Isopropyl alcohol	No	No	Yes

**This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:**

<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Explosive	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Acute toxicity (any route of exposure)
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Flammable (gases, aerosols, liquid, or solid)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Skin Corrosion or Irritation
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Oxidizer (liquid, solid or gas)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Serious eye damage or eye irritation
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Self-reactive	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Respiratory or Skin Sensitization
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Pyrophoric (liquid or solid)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Germ cell mutagenicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Pyrophoric gas	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Carcinogenicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Self-heating	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Reproductive toxicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Organic peroxide	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Specific target organ toxicity (single or repeated exposure)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Corrosive to metal	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Aspiration Hazard
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Gas under pressure (compressed gas)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Simple Asphyxiant
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	In contact with water emits flammable gas	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	(Health) Hazard Not Otherwise Classified (HNOC)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Combustible Dust		
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	(Physical) Hazard Not Otherwise Classified (HNOC)		

**CAS # Hazardous Components (Chemical Name)**

78-93-3	Methyl ethyl ketone
64-17-5	Ethyl alcohol
67-63-0	Isopropyl alcohol

**Other US EPA or State Lists**

TSCA: Inventory  
 CA TAC, Title 8: TAC: Cat. IIa, Title 8  
 NC TAP: Yes: NC TAP

TSCA: Inventory  
 CA TAC, Title 8: Title 8

TSCA: Inventory  
 CA TAC, Title 8: TAC: Cat. IIb, Title 8

**CAS # Hazardous Components (Chemical Name)**

78-93-3	Methyl ethyl ketone
64-17-5	Ethyl alcohol
67-63-0	Isopropyl alcohol

**International Regulatory Lists**

Mexico INSQ: 1193  
 Japan ENCS: 2-542  
 Germany WHCS: 150: WGK 1  
 Switzerland Giftliste 1: G-2429  
 REACH: 01-2119457290-43: Full, (P)

Japan ENCS: 5-153  
 Israel HSL: Cat.  
 Germany WHCS: 96: WGK 1  
 Switzerland Giftliste 1: G-1158  
 REACH: 01-2119457610-43: Full, (P)

Mexico INSQ: 1219  
 Japan ENCS: 2-207  
 Japan ISHL: 2-(8)-319  
 Israel HSL: Cat.  
 Germany WHCS: 135: WGK 1  
 Switzerland Giftliste 1: G-1712  
 REACH: 01-2119457558-25: Full, (P)


### 16. Other Information

Revision Date: 08/09/2018

Hazard Rating System:

HEALTH		1
FLAMMABILITY		3
PHYSICAL		0
PPE		B

HMIS:



Additional Information About This Product: No data available.

This Product:

Company Policy or

Disclaimer: